Product Datasheet

www.1-light.eu

07 Strips & Profiles>The High Power Strips

7880/W



LED light strip, with SMD2835 LEDs, 120LEDs/meter, 28,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (12-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DIMMABLE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	07 Strips & Profiles
Family	The High Power Strips
Order Code	7880/W
Shape	Rectangular
Length	5000mm
Width	20mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	28,8W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	120LEDs/m
F Mark	

Illumination Data


Colour Temperature	3000K
Lumen Output	2260lm/m
Light Efficiency	78,47lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Length	22,5cm
Box Width	22,5cm
Box Height	3cm
Box Weight	0.305kg

Pcs/Carton	40
Barcode	5291889040453
HS Code	9405499090

Energy Label



Energy Class	F

Certification & Warranty

Warranty	5 years

switch to
one light!

