Product Datasheet

www.1-light.eu

21 Emergency Lights>Emergency LED Recessed Spot

89002B



1,5W Emergency LED recessed, IP20, ideal for corridors. Non-maintained with self-test.


Complies with standard EN60598-1 and any other specific standards.

IP20

Downloads

IES

Dimensions



Physical Specification

Item Group	21 Emergency Lights
Family	Emergency LED Recessed Spot
Order Code	89002B
Material	Plastic
Shape	Circular
Cutout Hole Width	35
Cutout Hole Length	120
Recessed Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Voltage
Safety Class	⧈
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Gear

Gear Type	Emergency Kit
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No
Housing Material	Plastic
Battery Capacity	2500mAh
Battery Voltage	3,6V
Operation Time	3 hours
Charging Time	8 hours

Non Maintained	Yes

Illumination Data

Colour Temperature	4000K
Lumen Output	150lm
Light Efficiency	100lm/W
Beam Angle	125°
Illumination Diagram	

Packing Info

Box Weight	0.215kg
Pcs/Carton	20
Barcode	5291889078043
HS Code	8504408390

Certification & Warranty

Warranty	2 years

switch to
one light!

