Product Datasheet

www.1-light.eu

21 Emergency Lights>Emergency LED Recessed Spot

89002C



3W Emergency LED recessed, IP20, ideal for corridors. Non-maintained with self-test.


Complies with standard EN60598-1 and any other specific standards.

IP20

Downloads

IES

Dimensions



Physical Specification

Item Group	21 Emergency Lights
Family	Emergency LED Recessed Spot
Order Code	89002C
Material	Plastic
Shape	Circular
Cutout Hole Width	45
Cutout Hole Length	130
Recessed Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Voltage
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
F Mark	

Gear

Gear Type	Emergency Kit
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No
Housing Material	Plastic
Battery Capacity	5000mAh
Battery Voltage	3,6V
Operation Time	3 hours

Charging Time	8 hours
Non Maintained	Yes

Illumination Data

Colour Temperature	4000K
Lumen Output	300lm
Light Efficiency	100lm/W
Beam Angle	155°
Illumination Diagram	

Packing Info

Box Weight	0.320kg
Pcs/Carton	20
Barcode	5291889078050
HS Code	8504408390

Certification & Warranty

Warranty	2 years

switch to
one light!

