
Product Datasheet

www.1-light.eu

18 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed CCT V

68068A/AN/V



3W CCT Variable LED wall recessed light.

Complete with non-dimmable driver.

Supplied with box for concrete installation.


Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 80 CRI DARK LIGHT CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	18 Wall Recessed & Inground
Family	Outdoor Dark Light Wall Recessed CCT V
Order Code	68068A/AN/V
Colour	Anthracite
Material	Aluminium
Shape	Rectangular
Length	115mm
Width	115mm
Height	35mm
Cutout Hole Width	110mm Concrete 100mm Gypsum
Cutout Hole Length	110mm Concrete 100mm Gypsum
Recessed wall	Yes

Depth Required	60mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Light Source	LED built in
LED Type	SMD
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	350mA

Protection	0

Illumination Data

Colour Code	2200K-2700K-3000K-4000K
Lumen Output	300lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	
Box Width	
Box Height	
Box Weight	0.500kg
Pcs/Carton	24
Barcode	5291889081647
HS Code	9405413990

Certification & Warranty

Warranty	2 years

switch to
one light!

