# Product Datasheet

www.1-light.eu

18 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed CCT V

## 68068C/AN/V



6W CCT Variable LED wall recessed light.

Complete with non-dimmable driver.

Supplied with box for concrete installation.


Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 80 CRI DARK LIGHT CE

### Downloads

IES CE

### Dimensions




### Physical Specification

| | |
|---|---|
| Item Group | 18 Wall Recessed & Inground |
| Family | Outdoor Dark Light Wall Recessed CCT V |
| Order Code | 68068C/AN/V |
| Colour | Anthracite |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 225mm |
| Width | 75mm |
| Height | 55mm |
| Cutout Hole Width | 220mm Concrete 210mm Gypsum |
| Cutout Hole Length | 70mm Concrete 60mm Gypsum |
| Recessed wall | Yes |

| | |
|---|---|
| Depth Required | 80mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 6W |
| IP Rating | IP65 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Light Source | LED built in |
| LED Type | SMD |
| F Mark |  |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Output | 300mA |

## Illumination Data

| | |
|---|---|
| Colour Code | 2200K-2700K-3000K-4000K |
| Lumen Output | 550lm |
| Light Efficiency | 91,67lm/W |
| CRI | 80 |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Box Length | |
| Box Width | |
| Box Height | |
| Box Weight | 0.760kg |
| Pcs/Carton | 12 |
| Barcode | 5291889084631 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 years |

switch to
one light!

