# Product Datasheet

www.1-light.eu

13 Plafo>The Super Slim Range CCT V

## 62006CD/W/V



CCT Variable 40W LED slim plafo, IP20.

Complete with TRIAC dimmable driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI TRIAC DIMMABLE CE

### Downloads

IES

### Dimensions




### Physical Specification

| | |
|---|---|
| Item Group | 13 Plafo |
| Family | The Super Slim Range CCT V |
| Order Code | 62006CD/W/V |
| Colour | White |
| Material | ABS |
| Shape | Circular |
| Height | 25mm |
| Diameter | 500mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 40W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | Yes |
| Dimmer type | Triac |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Safety Class |  |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD |
| F Mark |  |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| IP Rating | IP20 |
| Safety Class |  |

## Illumination Data

| | |
|---|---|
| Colour Code | 2700K-3200K-4000K |
| Lumen Output | 3600lm |
| Light Efficiency | 90lm/W |
| CRI | 90 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 2.150kg |
| Pcs/Carton | 8 |
| Barcode | 5291889089247 |
| HS Code | 9405114090 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 3 years |

switch to
one light!

