# Product Datasheet

www.1-light.eu

12 Wall & Ceiling LED>The IP65 Cylinders

## 67540D/B/V



CCT Variable 35W COB LED cylinder, IP65.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 90 CRI DARK LIGHT CE

### Downloads

IES

### Dimensions




### Physical Specification

| | |
|---|---|
| Item Group | 12 Wall & Ceiling LED |
| Family | The IP65 Cylinders |
| Order Code | 67540D/B/V |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 140mm |
| Diameter | 150mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Outdoor | Yes |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 35W |
| IP Rating | IP65 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Safety Class |  |
| Light Source | LED built in |
| LED Type | COB |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Output | 900mA |
| Dimmable | No |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K-3500K-4000K |
| Lumen Output | 3500lm |

| | |
|---|---|
| Light Efficiency | 100lm/W |
| CRI | 90 |
| Beam Angle | 40° |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Pcs/Carton | 10 |
| Barcode | 5291889089612 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 years |


switch to
one light!

