Product Datasheet

www.1-light.eu

12 Wall & Ceiling LED>The IP65 Cylinders

67540E/W/V



CCT Variable 40W COB LED cylinder, IP65.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 90 CRI DARK LIGHT CE

Downloads

IES

Dimensions



Must be ordered separately



050406E/B

Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The IP65 Cylinders
Order Code	67540E/W/V
Colour	White
Material	Aluminium
Shape	Circular

Height	160mm
Diameter	170mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Safety Class	
Light Source	LED built in
LED Type	COB

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Output	1000mA
Dimmable	No

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	4000lm
Light Efficiency	100lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	10
Barcode	5291889089629
HS Code	9405413990

Certification & Warranty

Warranty	2 years

switch to
one light!

