# Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The COB Cylinders

## 11112RA/B/V



12W CCT Variable COB LED recessed adjustable spot. Complete with black and brass reflectors.

Requires 700mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI ADJUSTABLE DIMMABLE DARK LIGHT QUICK FIX CE

## Downloads

IES

## Dimensions




## Gallery



## Physical Specification

| | |
|---|---|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The COB Cylinders |
| Order Code | 11112RA/B/V |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 155mm |

| | |
|---|---|
| Diameter | 40 |
| Cutout Hole Diameter | 55mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Adjustable | 2 Directions |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 18V |
| Safety Class |  |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark |  |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K-3500K-4000K |
| Lumen Output | 1020lm |
| Light Efficiency | 85lm/W |
| CRI | 90 |
| Beam Angle | 36° |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Box Weight | 0.340kg |
| Pcs/Carton | 20 |
| Barcode | 5291889089193 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |

switch to
one light!

one
LIGHT

