Product Datasheet

www.1-light.eu

22 Drivers>Adjustable Constant Current DALI Dimmable DALI & Push to DIM

89007AL



DALI & Push to DIM constant current dimmable LED driver for LED spots / LED fittings.


Adjustable output using DIP Switches.
350/400/450/500/550/600/650/700mA.

Complies with standard EN61347-1 and any other specific standards.

IP20 DALI DIMMABLE PUSH TO DIM QUICK FIX CE

Downloads

Dimensions



Physical Specification

Item Group	22 Drivers
Family	Adjustable Constant Current DALI Dimmable DALI & Push to DIM
Order Code	89007AL
Material	Plastic
Shape	Rectangular
Length	130mm
Width	38mm
Height	25mm
Indoor	Yes

Electrical Characteristics

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to Table
Power Factor	0,9
Constant Current	Yes
350mA	5-21V
400mA	5-20V
450mA	5-17V
500mA	5-16V
550mA	5-14V
600mA	5-13V
650mA	5-12V
700mA	5-11V
IP Rating	IP20
Safety Class	⧈
Dimmable	Yes
Dimmer type	Dali, Push to Dim
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Fast Connector	Yes
Fast Connector Type	One Light 350+700

Packing Info

Box Weight	0.112kg
Pcs/Carton	50
Barcode	5291889080626

HS Code	8504408390

Certification & Warranty

Warranty	5 years

switch to
one light!

one LIGHT

